

Mobile Ground Stake Kits

Part No.	Approx. Each Wt. (lbs.)
MOBGRDSTK582	14

- Consists of three 5/8" x 2' copper clad sectional ground rods, thus achieving an overall depth of 6'.
- Also contains three 5/8" ground rod couplers, one 5/8" drive stud, one u-bolt ground rod clamp and one 5/8" eyelet.


Approx. Each Wt. (lbs.)

• Consists of three 5/8" x 3' copper clad sectional ground rods, thus achieving an overall depth of 9'.

Part No.

MOBGRDSTK583

 Also contains three 5/8" ground rod couplers, one 5/8" drive stud, one u-bolt ground rod clamp and one 5/8" eyelet.



6 FT.

APPLICATION NOTES:

• Mobile ground stakes provide temporary grounds for military communications vehicles, tanks, COWs (Cell-site On Wheels), etc. Usually a ground loop is installed around the vehicle to help provide an equipotential ground plane. Eyelet provides for easy means of removal.



Mobile Ground Stake Kits


Part No.	Approx. Each Wt. (lbs.)
582GTEKIT	13-1/4

- NSN 5975-01-497-0438
- Consists of three 5/8" x 2' copper clad sectional ground rods, thus achieving an overall depth of 6'.
- Also contains three 5/8" ground rod couplers, one 5/8" drive stud and one u-bolt ground rod clamp.
- Bottom rod has tappered end to facilitate driving.

6 No	FT. DM.	

Part No.	Approx. Each Wt. (lbs.)
583GTEKIT	19-1/4

- NSN 5975-01-497-1496
- Consists of three 5/8" x 3' copper clad sectional ground rods, thus achieving an overall depth of 9'.
- Also contains three 5/8" ground rod couplers, one 5/8" drive stud and one u-bolt ground rod clamp.
- Bottom rod has tappered end to facilitate driving.



APPLICATION NOTES:

• Mobile ground stakes provide temporary grounds for military communications vehicles, tanks, COWs (Cell-site On Wheels), etc. Usually a ground loop is installed around the vehicle to help provide an equipotential ground plane. Eyelet provides for easy means of removal.